

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF WASTE MANAGEMENT P.O. BOX 8472, HARRISBURG, PA 17105-8472

Inspection ID _____

Field Code _____

INSPECTION REPORT – MUNICIPAL WASTE COMPOSTING FACILITY

Site I.D.	Telephone # Operator Name Address
Municipality Responsible Official Person Interviewed Inspector	County Title Title Title
eFACTS ID # PF SF SF	
Comment	ResultsResolved _/ / ated Max. Daily Volume

1 - No Violation Observed 2 - Not-Applicable 3 - Not-Determined 4 - Non-Compliance

S	STATUS		S		COMMENTS	CHAPTER	LINE
1	2	3	4	REQUIREMENT	COMMENTS ATTACHED	CITATION	ITEM
				Facility issued permit from Department.		281.201(a)	1
				Operation In accordance with operating requirements of Act 97, regulation permit conditions.	s and	281.201(b)	2
				No unapproved wastes or liquids accepted.		281.201(c), (e)	3
				Ban on explosive waste and mixing or storing waste to create a risk of fire, explosion, or hazardous gas adhered to.		281.201(d)	4
				Isolation distances are adhered to.		281.202(a)(1)-(8)	5
				Required insurance in effect.		271.321	6
				DAILY OPERATIONS			
				Proper readable sign posted.		281.211 (a)	7
				Site perimeter clearly marked and grid coordinate system in use.		281.211 (b)-(d)	8
				Access road maintained and capable of withstanding collection vehicles.		281.212(a)-(i)	9
				Proper barriers installed and access controlled when attendant not presen	t. 🗌	281.213(a)-(c)	10
				Approved means of measuring and inspection of waste utilized.		281.214(a), (b)	11
				Adequate equipment on-site and stand-by equipment available.		281.215(a), (b)	12
				Equipment cleaned or as specified in permit.		281.215(d)	13
				Approach and unloading area of adequate size, design, and construction.		281.216(a), (b)	14
				Attendant or signs to direct vehicles.		281.216(c)	15
				Collection vehicles promptly unloaded.		281.216(d)	16
				Solid waste confined to unloading area or approved storage area.		281.216(e)	17
				Bulky waste removed daily or as necessary to prevent nuisances.		281.216(f)	18
				Windrow/pile spacing allows proper equipment use.		281.216(g)	19
				Daily inspections conducted; prompt corrective actions taken.		281.216(h)	20

Site Name	
ID Number	
Date	

INSPECTION REPORT – MUNICIPAL WASTE COMPOSTING FACILIT (Cont'd)

1 - No Violation Observed 2-Not-Applicable 3-Not-Determined 4-Non-Compliance							
۲ 1	STA 2	тUS 3	5 4	COMM REQUIREMENTS ATTAC	MENTS CHED	CHAPTER CITATION	LINE ITEM
				DAILY OPERATIONS (Cont'd)			
				No open burning(*) or other fugitive air contaminants.		281.217(a), (b)	21
				Effective vector control and minimization implemented and public nuisances controlled and minimized.		281.218(a), (b)	22
				Salvaging in accordance with regulations.		281.219(a), (b)	23
				Litter controlled/collected and barriers/fences in place.		281.220(a), (b)	24
				RADIATION MONITORING AND RESPONSE			
				Operator monitors incoming waste in accordance with Department's Guidance document on radioactivity or in a manner at least as protective of the environment and meets the facility's approved radiation protection action plan.		281.221(b)	25
				Radiation detector set at appropriate levels and portable radiation monitors available and capable of determining radiation base rate.		281.221(c), (d)	26
				Department notified when radiation dose rates exceeded.		281.221(e)	27
				Monitoring equipment calibrated at least once a year.		281.221(f)	28
				Vehicle containing radioactive material has proper written documentation prior to leaving the facility.		281.221(g)	29
				DAILY VOLUME			
				Maximum daily volumes received in accordance with the permit.		281.222	30
				COMPOSTING PROVISIONS			
				Composting pad or vessel adequate in size to handle projected waste volumes.		281.231(b)	31
				Composting pad or vessel capable of collecting leachate designed to prevent migration of leachate through pad and maintained to protect integrity of pad.		281.231(c) (2), (4), (6)	32
				Composting pad or vessel inspected by operator on approved frequency.		281.231(d)	33
				Sewage sludge analysis submitted to the Department on approved frequency.		281.232(1),(2)	34
				Waste composting residue disposed or processed at a Department permitted facility.		281.233	35
				Prior to sale or use of compost operator obtained a general permit.		281.234	36
				Copy of engineering plans and designs maintained on the site.		281.235	37
				REVEGETATION			
				Minimum revegetation and successful revegetation requirements adhered to.		281.241(a)-(f), 281.242(a), (b)	38

Site Name	
ID Number	

Date

INSPECTION REPORT – MUNICIPAL WASTE COMPOSTING FACILIT (Cont'd)

	1 - No Violation Observed 2-Not-Applicable 3-Not-Determined 4-Non-Compliance									
	STATUS				CHAPTER	LINE				
1	2	3	4		TACHED	CITATION	ITEM			
		SOIL AND WATER PROTECTION								
				Surface and groundwater discharges prevented unless otherwise authorize by the Department.	ed 🗌	281.251(a), (b), (d)	39			
				Surface and groundwater treatment facilities properly operated and maintained.		281.251(b)	40			
				Continuous or intermittent contact of waste with groundwater prevented.		281.251(c)	41			
				Soil erosion and sedimentation controls designed and implemented as per approved plans.		281.252(I)-(3)	42			
				Sedimentation ponds and discharge structures designed, constructed, operated, and maintained in accordance with Chapter 102, 1 05, and 281.		281.253(a)-(h)	43			
				Soil and groundwater monitoring conducted as required.		281.254	44			
				Temporary or permanent water supply replacement provided as per regulation.		281.255(a)-(b)	45			
				EMERGENCY PROCEDURES						
				Facility operated and maintained to prevent and minimize fires, explosions or Internal communications or alarm system operable.	,	281.261	46			
				Internal communications or alarm system operable.	281.262(a)(1)	47				
				Communication system capable of summoning emergency assistance from outside agencies.	n 🗌	281.262(a)(2)	48			
				Adequate fire and safety equipment available, maintained, and accessible.		281.262(a)(3), (c), (d)	49			
				Contingency plan implemented in an emergency.		281.263(a)-(c)	50			
				RECORDKEEPING AND REPORTING						
				Daily operational records maintained, available and submitted as required. Annual operation report and fee submitted.		281.271, 281.272	51			
				CESSATION AND CLOSURE						
				Alternate permitted facility during temporary shutdown available.		281.281(a)	52			
				Storage capacity during temporary shutdown not exceeded.		281.281(b)	53			
				Revegetation performed as specified on areas where operations have ceased.		281.282(b)	54			
				Soil and groundwater monitoring is discontinued after cessation of operations only upon written Department approval.		281.282(c), (d)	55			

Sit	te	Name
ID	Ν	umber

Date

INSPECTION REPORT – MUNICIPAL WASTE COMPOSTING FACILIT (Cont'd)

1 - No Violation Observed				1 - No Violation Observed 2-Not-Applicable 3-Not-Determined	ined 4-Non-Compliance		
; 1	STA 2	TUS 3	3 4	REQUIREMENTS	COMMENTS ATTACHED	CHAPTER CITATION	LINE ITEM
				BONDING AND INSURANCE			
				Bond filed with Department.		271.312	82
				Bond maintained in an amount and with guarantees as required. Bond amount \$ Phased deposit due date/_ /		271.333(b)	83
				Proof of a commercial policy of liability insurances submitted to Department as specified by 271.374. Policy # Insurer (company name) Expiration Date:	_	271.374	84